

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,079,283 B2
APPLICATION NO. : 09/966251
DATED : July 18, 2006
INVENTOR(S) : Naoji Otsuka et al.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON COVER PAGE AT (*) NOTICE

“This patent is subject to a terminal disclaimer.” should be deleted.

ON COVER PAGE AT (30) FOREIGN APPLICATION PRIORITY DATA

“2000/300185” should read --2000-300185--.

COLUMN 2

Line 17, “use independent two” should read --using two independent--;
Line 35, “print” should read --printed--;
Line 36, “provide” should read --provides--; and
Line 63, “above” should read --above- --.

COLUMN 4

Line 38, “above described” should read --above-described--;
Line 53, “to” should read --for--;
Line 54, “patter” should read --pattern--; and
Line 58, “one of” should read --one or--.

COLUMN 6

Line 20, “above described” should read --above-described--;
Line 41, “nozzle,” should read --nozzles--;
Line 44, “has” should read --has been--; and
Line 65, “ink” should read --inks--.

COLUMN 7

Line 27, “covert” should read --convert--; and
Line 44, “to” should read --with--.

COLUMN 8

Line 55, “these” should read --this--; and
Line 59, “wording” should read --working--.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,079,283 B2
APPLICATION NO. : 09/966251
DATED : July 18, 2006
INVENTOR(S) : Naoji Otsuka et al.

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 9

Line 7, "sensors 234" should read --sensor 234--;
Line 17, "(election" should read --(ejection--;
Line 37, "first recording heading" should read --ejecting--; and
Line 42, "(M2)" should read --(C2)--.

COLUMN 10

Line 60, "cyan." should read --cyan head.--; and
Line 66, "are" should be deleted.

COLUMN 11

Line 4, "the M1" should read --M1--;
Line 15, "present" should read --the present--;
Line 18, "and" should be deleted;
Line 45, "he" should be deleted;
Line 47, "write" should read --writes--;
Line 58, "used" should read --use--; and
Line 61, "becomes" should read --become--.

COLUMN 12

Line 52, "be" should be deleted.

COLUMN 13

Line 15, "In the Figure, (b)," should read --The Figure (b)--.

COLUMN 14

Line 15, "nozzle" should read --nozzles--; and
Line 62, "satisfactory" should read --satisfactorily--.

COLUMN 15

Line 14, "apparatuses" should read --apparatus--; and
Line 54, "above described" should read --above-described--.

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,079,283 B2
APPLICATION NO. : 09/966251
DATED : July 18, 2006
INVENTOR(S) : Naoji Otsuka et al.

Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 16


Line 21, "above described" should read --above-described--;
Line 59, "that pair" should read --that a pair--; and
Line 65, "The printing the defective" should read --Printing is effected--.

COLUMN 17

Line 28, "applied" should read --applies--;
Line 57, "above described" should read --above-described--; and
Line 61, "above described" should read --above-described--.

Signed and Sealed this

Thirteenth Day of February, 2007

A handwritten signature in black ink, reading "Jon W. Dudas", is written over a rectangular area with a light gray, textured background.

JON W. DUDAS

Director of the United States Patent and Trademark Office